


Standard Pumps & Systems

Japanese Technology since 1912



Looking ahead, going beyond expectations
Ahead > Beyond



EBARA

GS



Flow : 8 to 1300 m³/hr
Head : 150 to 8 m
Long coupled end suction pumps

LPCD



Flow : 6 to 150 m³/hr
Head : 40 to 7 m
Vertical in-line twin pump

GSS



Flow : 8 to 1200 m³/hr
Head : 160 to 8 m
Long coupled end suction pumps
in casted stainless steel construction

CSA/CNA



Flow : 108 to 2700 m³/hr
Head : 120 to 7 m
Horizontal split case pumps

LPC



Flow : 6 to 170 m³/hr
Head : 60 to 8 m
Vertical in-line centrifugal pumps

3 SERIES



Flow : 8 to 200 m³/hr
Head : 90 to 8 m
Horizontal end suction closed
coupled stainless steel
centrifugal pumps

LPS



Flow : 1.2 to 24 m³/hr
Head : 19 to 2.5 m
Vertical in-line pumps in stainless steel
construction

3D



Flow : 8 to 110 m³/hr
Head : 67 to 8 m
Horizontal end suction closed
coupled centrifugal pumps

LPDA



Flow : 30 to 540 m³/hr
Head : 60 to 6 m
Vertical in-line centrifugal pumps

DWO



Flow : 10 to 60 m³/hr
Head : 17 to 6 m
Monobloc end suction pump
with semi-open impeller for
handling solids



EBARA

MATRIX



Flow : 1.25 to 24 m³/hr
Head : 90 to 10 m
Horizontal stainless steel monobloc multistage pumps

DW-VOX



AISI 304
Capacity : up to 54 m³/hr
Total Head : up to 20 m
Submersible Drainage / Sewage pumps

EVM SERIES



Flow : 84 m³/hr
Head : 330 m
Vertical in-line stainless steel multistage centrifugal pumps

D SERIES



Capacity : up to 780 m³/hr
Total Head : up to 54 m
Submersible Drainage / Sewage pumps

EGO



Flow : up to 75 m³/hr
Head : up to 18 m
In -Line circulator with permanent magnet motor and built in frequency converter

3 SERIES



AISI 304 - AISI 316
Capacity: up to 126 m³/hr
Total Head: up to 682 m
Submersible stainless steel Borehole pumps

GPE BOOSTER



Pressure Booster Sets with inverter

MS



Flow : 6 to 150 m³/hr
Head : 120 to 13 m
Horizontal multistage pump

OPTIMA - BEST ONE (VOX)



Total Head : up to 8.3 m
Capacity : up to 10.2 m³/hr
Submersible drainage pumps

NV



Flow : 90 to 240 m³/hr
Head : -2 to -70 m
Water ring vacuum pump



EBARA

GP



Flow : 0.36 to 105 m³/hr
Head : 3 to 10 bar
Gear Pumps for heavy oil,
turbine oil etc...

E-DRIVE



FFS - FFBE



Flow : 500 to 1,250 usgpm
Head : upto 137 psi
Fire fighting pumping system

CONTROL PANELS



FPS (Pentam)



Flow : 5.4 to 360 m³/hr
Head : 40 to 10 m
Long coupled end suction pump
in high resistance resin
construction

VY / VZ



Flow : 30 to 960 m³/hr
Head : 150 to 4m
Vertical mixed flow pump



Authorized Distributor

GREAVES PAKISTAN (PVT) LTD.

UAN: 111-354-111 Email: information@gfg.com.pk



**GHULAM FARUQUE
GROUP**

Head Office:
Modern Motors House
Beaumont Road
Karachi-75530
Pakistan
Tel: 021-35682565-9

Islamabad: Mezzanine
Floor, Razia Sharif Plaza,
Block # 91, Blue Area,
Near Sahil CNG Station
Tel: 051-2344543-47
greaves.sol@gfg.com.pk

Peshawar: 1st Floor
Betani Arcade Opp.
Airport Runway,
University Road
Tel: 091-5854880
091-5852285
greaves.sop@gfg.com.pk

Faisalabad: Office No.
81-82 Mezzanine Floor
Kohinoor One Plaza
Jaranwala Road
Tel: 041-8501748-49

Lahore: 3, Sunder Das
Road P.O. Box # 208
Tel: 042-6362241-2
greaves.sol@gfg.com.pk

Multan: 2-A, Gulgasht
Colony, Opp. Govt.
Education College
Bosan Road,
Tel: 061-6212184,
Cell: 0301-8215743

Sukkar:
Cell: 0322-2937072
0322-2937083

Quetta:
Cell: 0313-3359921

Hyderabad: 1st Floor,
Ghouri Plaza Phase 2,
Near City Care Hospital,
Unit No. 6, Latifabad
Tel: 022-38123139
Cell: 0322-2937082